



## THE LOCAL GOVERNMENT PURCHASING COOPERATIVE ADDENDUM NO. 1

### **Proposal Invitation No. 746-24** **Fire Service Apparatus Vehicles**

The following addendum is issued to Proposal Invitation No. 746-24, Fire Service Apparatus Vehicles and shall become a permanent part of the Proposal Invitation document.

#### **PROPOSAL SPECIFICATION SUMMARY**

The Proposal Specification Summary has been amended to include **Section IX for Fleet Mobile Maintenance Services**. In addition, the corresponding line item in the electronic proposal submission system has been added and modified to align with the Proposal Specification Summary.

**Please sign and return one copy of this Addendum with your proposal as verification of your receipt and compliance with the information contained in this Addendum.**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Signature of Authorized  
Company Official: \_\_\_\_\_

Title: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Date: \_\_\_\_\_

## PROPOSAL SPECIFICATION SUMMARY

**The categories and items specified for this Proposal Invitation are summarized below. For full Proposal Specifications, you must review and complete the Proposal Specification information in the electronic proposal submission system in accordance with the Instructions to Proposers (or, if submitting a hard copy Proposal, timely request and complete the Proposal Specification Form in accordance with the Instructions to Proposers).**

**PROPOSAL NOTE 1:** Vendors proposing must be approved by the manufacturer to sell, install, and service the brand of equipment submitted. Proposers responding to this Proposal Invitation **shall submit an approval letter** from each manufacturer for each product line proposed. The requirement to provide an approval letter from the manufacturer applies to both seller and installers.

Manufacturers responding directly to this proposal invitation, in lieu of an authorization letter, shall submit a written explanation that the company is the manufacturer of the product line(s) proposed. Dealer authorization agreements will not be accepted as a substitute for the manufacturer authorization letter.

The manufacturer authorization letters must include the following.

1. Composed on manufacturer letterhead (an email message is not a substitute for the letter),
2. Addressed to "The Local Government Purchasing Cooperative,"
3. Dated within the current calendar year,
4. List the regions in Texas and states that Vendor is authorized to sell, install, and service product(s) proposed, and
5. Name, Title, and Signature of Authorized Official from Manufacturer.

**PROPOSAL NOTE 2:** A Vendor in Texas must have and maintain for the life of the Contract any Franchise Motor Vehicle Dealer Certificate and/or other license/certificate as required by the Texas Department of Motor Vehicles. If Vendor proposes to serve states other than Texas, Vendor must have any and all licenses or certificates, including franchise motor vehicle dealer certificates or licenses required by each state the Vendor proposes to serve. **Proposers responding to this Proposal Invitation should submit a copy of their dealer certificate(s) and/or license(s).**

**PROPOSAL NOTE 3:** The Proposal Invitation seeks base model pricing for vehicles. Vendors should propose direct replacement models if a vehicle/truck model specified below has been discontinued by the manufacturer. All fire service apparatus vehicles must meet or exceed all requirements and comply with or exceed all Federal Motor Vehicle Safety Standards, FMVSS. Optional equipment is not to be listed in a base price since options will be selected by the Cooperative member at time of quote/order. All options are to be priced at standard government pricing. Vendors shall submit a COMPLETE catalog(s)/pricelist(s) OF ALL OPTIONAL EQUIPMENT AND PARTS with their Proposal response or the Proposal will not be considered. The Cooperative considers an option listed and priced in a proposal response to be a "Published Option", part of any awarded contract, and available for purchase by members separately and independently from associated base price items. Vendors shall submit manufacturer upgrade options for each model proposed including alternative fuel equipment (CNG, Electric, Hybrid, LPG, etc.). Vendors shall submit catalog(s)/pricelist(s) in a readily available and readable electronic format, with Excel or searchable PDF preferred. **No paper catalogs or manufacturer/vendor websites will be accepted.**

**PROPOSAL NOTE 4:** All vehicle ancillary fees to be charged for any purchase from this contract with the exception of **delivery fees** (i.e. applicable state inspection, state title, state registration, dealer document fees, pre-delivery inspection, make ready, and manufacturer destination fees) are to be included in the base model price(s). Vehicle fees not included in the base model price(s) will not be permitted. The Cooperative service fee for fire service apparatus vehicles is not a "vehicle fee" and is not to be included in the base price. **Dealer Floor Plan and Lot Insurance** costs will only be allowed for inventory vehicles at the dealer location and/or vehicles scheduled for upfitting by the dealer. These Floor Plan and Lot Insurance fees **shall not** be included in the price of a vehicle for the purpose of this proposal but **must** be listed separately as a line-item price on individual quotes for any potential Cooperative member purchase.

### **Section I: Commercial Class "A" Pumpers and Tankers**

1. **2-Dr. Cab, 35000# GVW, 300 HP Automatic, A/C** - 1250 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment, diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
2. **2-Dr. Cab, 35000# GVW, 350 HP Automatic, A/C** - 1500 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment, Diesel 350 HP engine, heavy duty cooling, 270 amp alternator, Allison HD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
3. **2-Dr. Cab, 40000# GVW, 300 HP Automatic, A/C** - 1250 GPM Pump, 1500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment, Diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2 door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
4. **2-Dr. Cab, 54000# GVW, 350 HP Automatic, A/C** - 1500 GPM Pump, 2500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, rear Newton electric dump, NFPA 1901, all manufacturer's standard equipment, diesel 350 HP engine, heavy duty cooling, 270 amp alternator, Allison HD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
5. **4-Dr. Cab, 35000# GVW, 300 HP Automatic, A/C** - 1250 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
6. **4-Dr. Cab, 35000# GVW, 350 HP Automatic, A/C** - 1500 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG Electric, Hybrid, LPG, etc.)

### **Section II: Custom Cab Class "A" Pumpers and Tankers**

7. **Custom MFD tilt 4-Dr. Cab, 330 HP Automatic, A/C** - 1250 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
8. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 750 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
9. **Custom MFD tilt 4-Dr. Cab, 330 HP Automatic, A/C** - 1250 GPM Pump, 750 gallon poly tank, 200 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
10. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 750 gallon poly tank, 200 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
11. **Custom MFD tilt 4-Dr. Cab, 330 HP Automatic, A/C** - 1250 GPM Pump, 1500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

12. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 1500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
13. **Custom MFD tilt 4-Dr. Cab, 330 HP Automatic, A/C** - 1250 GPM Pump, 2500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
14. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 2500 gallon poly tank, 100 cu. ft. compartment space, side mount pump panel, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
15. **Custom MFD tilt 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 3000 gallon elliptical tank, 60 cu. ft. compartment space, side mount pump panel, (2) side and (1) rear Newton electric dump, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

### **Section III: Aerial Ladder and Aerial Platform Devices**

16. **Custom MFD tilt, 4-Dr. Cab, 330 HP Automatic, A/C** - 1500 GPM Pump, 400 gallon poly tank, 150 cu. ft. compartment space, single axle body, 75' aerial ladder rear mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
17. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 400 gallon poly tank, 150 cu. ft. compartment space, single axle body, 75' aerial ladder rear mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
18. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 100' aerial ladder rear mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
19. **Custom MFD tilt 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 85' to 95' aerial ladder platform rear mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
20. **Custom MFD tilt 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 100'+ aerial ladder platform rear mount, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
21. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 200 gallon poly tank, maximum compartment space, tandem axle, 100'+ aerial platform articulating style, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
22. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 400 gallon poly tank, 150 cu. ft. compartment space, single axle body, 75' aerial ladder mid-mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
23. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 100' aerial ladder mid-mount, pinned waterway, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

24. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, single axle, 70-85' aerial ladder platform mid-mount, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
25. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 85' to 95' aerial ladder platform mid-mount, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
26. **Custom MFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C** - 1500 GPM Pump, 300 gallon poly tank, 150 cu. ft. compartment space, tandem axle, 100'+ aerial ladder platform mid-mount, NFPA 1901, all manufacturer's standard equipment. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

#### **Section IV: Rescue Vehicles, Non-Walk-In Style**

27. **2-Dr. Cab, 35000# GVW, 300 HP Automatic, A/C** - Non Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw PTO generator, 6000 watt light tower, 10 shelves, 4 roll out trays, diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
28. **4-Dr. Cab, 35000# GVW, 300 HP, Automatic, A/C** - Non Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw PTO generator, 6000 watt light tower, 10 shelves, 4 roll out trays, diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 4-door with individual air ride driver seat, SCBA high back officer seat, 3 SCBA high back crew seats with SCBA brackets west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
29. **Custom MFD tilt, 4-Dr. Cab, 330 HP Automatic, A/C, Raised Roof** – Non-Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw PTO generator, 6000-watt light tower, 10 shelves, 4 roll out trays. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
30. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C, Raised Roof** - Non-Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw PTO generator, 6000-watt light tower, 10 shelves, 4 roll out trays. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
31. **2-Dr. Cab, 60" Cab to Axle, A/C** – Non-Walk-In 10' Light Duty rescue, maximum compartment space, 5Kw generator, roll up doors, 4 shelves, 2 roll out trays, 12,500# GVW, 250 HP diesel engine, heavy duty cooling, dual 110 amp alternator, automatic transmission, power disc front and rear brakes, standard frame, chrome front bumper, minimum 30 gallon fuel tank, 2 door cab with bench seat, mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG Electric, Hybrid, LPG, etc.)
32. **2-Dr. Cab, 84" Cab to Axle, A/C** – Non-Walk-In 12' Light Duty rescue, maximum compartment space, 5Kw generator, roll up doors, 4 shelves, 2 roll out trays, 12500# GVW, 250 HP diesel engine, heavy duty cooling, dual 110 amp alternator, automatic transmission, power disc front and rear brakes, standard frame, chrome front bumper, minimum 30 gallon fuel tank, 2-door cab with bench seat, mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG Electric, Hybrid, LPG, etc.)



### **Section V: Rescue Vehicles, Walk-In Style**

33. **2-Dr. Cab, 35000# GVW, 300 HP Automatic, A/C** - Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw generator, 6000 watt light tower, 10 shelves, 4 roll out trays, diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, Full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG Electric, Hybrid, LPG, etc.)
34. **4-Dr. Cab, 35000# GVW, 300 HP, Automatic, A/C** - Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw generator, 6000 watt light tower, 10 shelves, 4 roll out trays, diesel 300 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, Full air brakes, 12.0 compressor, steel channel frame, chrome front bumper, minimum 45 gallon fuel tank, 4-door with individual air ride driver seat, SCBA high back officer seat, 3 SCBA high back crew seats with SCBA brackets west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel ten hole disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
35. **Custom MFD tilt, 4-Dr. Cab, 330 HP Automatic, A/C, Raised Roof** - Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw PTO generator, 6000 watt light tower, 10 shelves, 4 roll out trays. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
36. **Custom LFD tilt, 4-Dr. Cab, 400 HP Automatic, A/C, Raised Roof** - Walk-In 16' Heavy rescue body, maximum compartment space, 8Kw generator, 6000 watt light tower, 10 shelves, 4 roll out trays. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
37. **2-Dr. Cab, 84" cab to axle, A/C** - Walk-In 12' Light Duty rescue, maximum compartment space, 5Kw generator, roll up doors, 4 shelves, 2 roll out trays, 15,000# GVW, 250 HP diesel engine, heavy duty cooling, dual 110 amp alternator, automatic transmission, power disc front and rear brakes, standard frame, chrome front bumper, minimum 30 gallon fuel tank, 2-door cab with bench seat, mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
38. **2-Dr. Cab, 170" cab to axle, A/C** - Walk-In 14' Light Duty rescue, maximum compartment space, 5Kw generator, roll up doors, 4 shelves, 2 roll out trays, 20,000# GVW, diesel 240 HP engine, heavy duty cooling, 270 amp alternator, Allison MD series automatic transmission, Full air brakes, 12.0 compressor, steel channel frame, 170" cab to axle, chrome front bumper, minimum 45 gallon fuel tank, 2-door with bench seat, west coast mirrors, air conditioner, tilt-telescoping steering wheel, full gauge package, tires to match axle GVW rating, steel disc wheels. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

### **Section VI: Quick Attack and Brush Type Vehicles**

39. **2-Dr. Cab, 4x2, 60" C/A, A/C, 15,000# GVW** - Aluminum body, maximum compartment space, 300-340 gallon poly tank, booster reel with hose, 26HP diesel powered pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
40. **2-Dr. Cab, 4x4, 60" C/A, A/C, 15,000# GVW** - Aluminum body, maximum compartment space, 300-340 gallon poly tank, booster reel with hose, 26HP diesel powered pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
41. **2-Dr. Cab, 4x4, 60" C/A, A/C, 15,000# GVW** - Aluminum Body, 500 gallon poly tank, booster reel with hose, 100 gpm pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
42. **2-Dr. Cab, 4x2, 17500# GVW, 275 HP Diesel** - Aluminum Body, 500 gallon poly tank, booster reel with hose, 100 gpm pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
43. **4-Dr. Cab, 4x4, 17500# GVW, 275 HP Diesel, Manual Transmission** - Aluminum Body, maximum compartment space, 250 gallon poly tank, 500 gpm PTO pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

44. **2-Dr. Cab, 4x4, 17500# GVW, 275 HP Diesel, Manual Transmission** - Aluminum body, maximum compartment space, 300 gallon poly tank, 500 gpm pump. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)
45. **2-Dr. Cab, 4x2, 300 HP Automatic, A/C** - Aluminum Body, maximum compartment space, 500 gallon poly tank, 50 gallon foam, booster reel with hose, 400 gpm diesel driven pump with FoamPro 2100 system or equal. Include separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, Electric, Hybrid, LPG, etc.)

#### **Section VII: OPTIONS AND EQUIPMENT**

46. Discount (%) off all **Original Equipment Manufacturer (OEM) Options**. Manufacturer specification sheets and upgrade options catalog/pricelist MUST be included, or proposal will not be considered.
47. Discount (%) off **Third Party (not OEM) and Unpublished Options and Equipment**. Third Party (not OEM) specification sheets and upgrade options catalog/pricelist MUST be included, or proposal will not be considered.
48. Discount (%) off **Original Equipment Manufacturer (OEM) Parts**.
49. Discount (%) off **Extended Service Maintenance Agreements**.
50. Discount (%) off **Floor Plan Insurance and Lot Insurance** (dealer inventory ambulance and upfitting vehicles).

#### **Section VIII: Fire Service Apparatus Delivery Fees and Labor Rate for Installation and Repair Service**

51. **Not to Exceed** Hourly Labor Rate for Installation/Repair Service of Fire Service Apparatus Equipment and Products.
52. **Not to Exceed** Hourly Labor Rate for Paint and Body Repair of Fire Service Apparatus.
53. **Not to Exceed** Per Mile Delivery Fee for Fire Service Apparatus.

#### **Section IX: Fleet Mobile Maintenance Services for Fire Service Apparatus Vehicles**

54. Discount (%) off **Fleet Mobile Maintenance Services**. *(Vendors shall submit catalog(s)/pricelist(s) with their Proposal response detailing the fleet mobile maintenance service rates or the Proposal will not be considered. Vendors shall submit catalog(s)/pricelist(s) with the Proposal in a readily available and readable electronic format, with Excel or searchable PDF preferred.)*